

57035005

RM cylind. fuse holder without sign. aux. cont. (2 mod)-100A-1P+N-NFC- Fuse 22x58

Strong points

- Improved safety
- High breaking capacity
- Format and specific accessories

General characteristics

- Improved safety.
- High breaking capacity.
- Features and options.

Compliance with standards

- IEC 60269-2,-1
- IEC 60269-1
- IEC 60269-2
- UL E307648

Link to the reference

<https://apac.socomec.com/en/reference/57035005>

RMs are modular fuse disconnect switches for cylindrical fuses. They ensure safe disconnection and protection against surges and short-circuits in any low voltage electrical circuit.

Classification

| | |
|------------|----------|
| UNSPSC | 39121624 |
| ETIM Class | EC002705 |
| IGCC | 4974 |

Commerce

| | |
|----------------------------|------------|
| Effective date | 2012-06-25 |
| Country of origin | ES |
| Length of the product unit | 0.1265 |
| Width of the product unit | 0.143 |
| Depth of the product unit | 0.0765 |
| Weight | 0.34 |

ETIM - Electrical characteristics

| | |
|--|-----|
| Nominal voltage [V] | 690 |
| Number of poles | 2 |
| Concurrently switching neutral conductor | Yes |

ETIM - Mechanical characteristics

| | |
|-------------------------------------|----------|
| Built-in depth [mm] | 40 |
| Degree of protection (IP) | IP2X |
| Mounting method | DIN rail |
| For fuse size | 22x58 mm |
| Width in number of modular spacings | 1 |

ETIM - Technical features

| | |
|--------------------------------|-----|
| Lockable | Yes |
| With optical defect indication | No |

Logistics

| | |
|----------------------------|---------------|
| GTIN/EAN | 3596032687106 |
| Customs number | 8536109090 |
| Price unit | PC |
| Weight of the packing unit | 0.34 |
| Length of the packing unit | 0.088 |
| Width of the packing unit | 0.137 |
| Depth of the packing unit | 0.237 |

Norms

| | |
|-------------------------|------------|
| Conformity to standards | IEC UL |
|-------------------------|------------|

Technical Characteristics

| | |
|------------------------|------------|
| Fuse melting indicator | no |
| Fuse size | 22x58 |
| Number of poles | 1+N |
| Rated current | 100 |
| Size | RM/RMS 100 |