


65011030

Fuse base for fuses without a striker T0 3P 160A back plate mounted device



Strong points

- High level of electrical safety
- High breaking capacity
- Fuse blown indicator
- Various mounting options

General characteristics

- High level of electrical safety.
- High breaking capacity.
- Fuse blown indicator.
- Various mounting options.

Compliance with standards

- IEC 60269-1
- IEC 60269-2
- IEC 60269-2,-1

Link to the reference

<https://apac.socomec.com/en/reference/65011030>

Fuse bases are single-pole or multi-pole solid supports for knife-edge fuses.

Classification	
UNSPSC	39121624
ETIM Class	EC000067
IGCC	4972
Commerce	
Effective date	2003-01-09
Country of origin	ES
Weight	0.69
ETIM - Electrical characteristics	
Number of poles	3
Rated current [A]	160
ETIM - Mechanical characteristics	
Construction size	NH0
ETIM - Technical features	
Bus-mounting type	No
Swivelling mechanism	No
Logistics	
GTIN/EAN	3596031652310
Customs number	8536109090
Price unit	PC
Weight of the packing unit	0.69
Length of the packing unit	0.046
Width of the packing unit	0.056
Depth of the packing unit	0.238
Norms	
Conformity to standards	IEC
Technical Characteristics	
Fuse size	NH0
Number of poles	3
Rated current	160
Type	Screw mounting