

# 65011111

## Fuse base for fuses without a striker T1 1P 250A DIN rail-mounted device



### Strong points

- High level of electrical safety
- High breaking capacity
- Fuse blown indicator
- Various mounting options

### General characteristics

- High level of electrical safety.
- High breaking capacity.
- Fuse blown indicator.
- Various mounting options.

## Compliance with standards

- IEC 60269-1
- IEC 60269-2
- IEC 60269-2,-1

#### Link to the reference

2024-05-05 15:33:56



https://apac.socomec.com/en/reference/65011111

Fuse bases are single-pole or multi-pole solid supports for knife-edge fuses.

| INSPSC                           | 39121624      |  |
|----------------------------------|---------------|--|
| ETIM Class                       | EC000067      |  |
| GCC                              | 4972          |  |
| Commerce                         |               |  |
| Effective date                   | 2003-01-09    |  |
| Country of origin                | ES            |  |
| Veight                           | 0.347         |  |
| ETIM - Electrical characteristic | cs            |  |
| lumber of poles                  | 1             |  |
| Rated current [A]                | 250           |  |
| ETIM - Mechanical characteris    | etics         |  |
| Construction size                | NH1           |  |
| ETIM - Technical features        |               |  |
| Bus-mounting type                | No            |  |
| Swivelling mechanism             | No            |  |
| ogistics                         |               |  |
| GTIN/EAN                         | 3596031652365 |  |
| Customs number                   | 8536109090    |  |
| Price unit                       | PC            |  |
| Veight of the packing unit       | 0.347         |  |
| ength of the packing unit        | 0.2           |  |
| Vidth of the packing unit        | 0.06          |  |
| Depth of the packing unit        | 0.08          |  |
| Norms                            |               |  |
| Conformity to standards          | IEC           |  |
| Technical Characteristics        |               |  |
| use size                         | NH1           |  |
| Number of poles                  | 1             |  |
| Rated current                    | 250           |  |

2/024-05-05 15:33:56